




WiFi Function






步骤 1: 线控器 WiFi 连接: 上电后, WiFi 图标会闪烁, 进入 WiFi 连接状态, 5S 后若线控器 WiFi 图标常亮, 即 WiFi 连接成功, 可以在手机 APP 查看数据状态, 若图标熄灭, 即 WiFi 连接失败, 需重新连接 (可重新上电, 或同时长按开机键 “”+下翻键“”+上翻键“”5S 后进入 WiFi 模块复位连接状态, 此时 WiFi 图标会再次闪烁)。

Step1: WiFi connection: The WiFi icon will flash to enter the WiFi connection status after power on.

It means the WiFi is successfully connected if the WiFi icon can be lighted over 5S. You can check the connection status in your mobile APP.

The WiFi icon is not lighted once WiFi connection is failed. Please reconnect following below 2 ways.→

- Method 1: Restart the controller.
- Method 2: Press and simultaneously hold three keys  +  +  for 5 seconds to reset the WiFi module, and then the WiFi icon will be flashed again).

步骤 2: 手机智能 APP 端配置信息如下:

Step 2: Setup information from mobile APP:


1) 扫以下二维码下载 APP 软件:

Scan the bar code below to download the mobile APP.




2) 打开 APP 建立账号后打开以下界面，点击“+”，添加设备，

Setup an account in the APP, and then press “+” to add a device,




3) 点击“其他” → “其他 WIFI”

Press “others” → “other WIFI”




4) 确认设备已重置，然后输入手机连接的 wifi 账号与密码：

Make sure the device is reset, and then enter the WIFI account and password to connect your mobile,




5) 输入完成后点击“确认”开始连接，若连接成功，则显示添加设备成功，再点击“完成”，此时可以进入添加好的设备主界面进行操作；若连接超时，则需查看网络信号是否稳定或线控器信号是否良好。

Press "Confirm" to start the connection after completing. The device is successfully added if it's connected, and then press "Finish". you can operate the device in the main menu. If the device connect overtime, you need to check whether the signal is stable or not from Network or the controller.



6) 进入主界面如下: (APP Main Menu)



备注: APP 可控制开关机, 设定温度, 所有传感器温度显示, 工作模式, 各设备开停状态显示以及故障状态显示。

Remark: The heat pump APP function includes:

- “ON/OFF”
- Temperature setting and display
- Select “**Mode Selection**”
- Failure status display